

the removal of the floor and walls was due to the water damage and to provide better insight for the insurance claim. At this point the mitigation has been done. Mr. Hoover's estimate to repair the rooms up and down is \$4,000-\$5,000. The upstairs needs to be restored into a usable bathroom and the downstairs as a storage room (also access to the basement). Mr. Hoover advised that he has met with the firemen and advised that the Board should be moving forward to restore back to its original condition. He advised that he, along with Tyler Crognale went to Home Depot to price materials, of which he estimates at approximately \$1,500.00. He recommended the Board allow \$4,000.00 for the restoration, which is what a contractor would charge. The additional \$2,500 could be used for other projects that need done, such as a new floor in the hallway upstairs (linoleum lifting) and shelving units for the storage room on the first floor. Mr. Hoover noted, with his background in construction, that he will oversee and assist with the repairs and restoration of the firehall. He would like to move forward with this project without the decision of the insurance company. He will present at the regular meeting for action to be taken.

- Mr. Bradow reported the distribution of two samples of "drone" Ordinances for review and noted illegal drone use as a problem in Pennsylvania. It is expected that 14 million drones will be sold over the Christmas holiday. The main purpose of an Ordinance is for personal and property protection. Sample #2 is directly to the point of what is needed for Patterson Township. Mr. Fawcett was in attendance at this time and advised that the FAA has jurisdiction and the Township can't regulate air space. He indicated that he would like more time to research prior to adopting an Ordinance. Mr. Hoover questioned who would enforce such an Ordinance if we don't have jurisdiction on the airways. AC Stanislawski doesn't know who would enforce. Mr. Fawcett will look into further.
- Mr. Bradow also asked the status of a letter that was sent back in September to the City of Beaver Falls regarding questions asked concerning the Joint Sewer Users. Mr. Fawcett wrote and sent the letter; however, no response has been received. Mr. Fawcett advised that Ms. Shannon Steele, Solicitor for the City of Beaver Falls had advised Mr. Fawcett that the letter was referred to the manager of the Water Pollution Plant, Jim Breznai who is gathering the information requested.
- Assistant Chief Stanislawski advised the Board that the two tasers (approved at the last meeting) have been ordered with accessories and the invoice came in under the \$2,500.00 allotted.

End of Meeting